Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	964	(713/193).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/10 12:26
S2	99	smart adj card same reader same address and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:28
S3	15	smart adj card same reader same address same (authoriz\$6 authentic\$6) and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:42
S4	22	data adj carrier and second adj memory adj location	US-PGPUB; USPAT	OR	ON	2005/03/04 17:42
S5	44	("SUN MICOSYSTEMS INC" "SUN MICROSTAMPING- INC." "SUN MICROSYSTEMS" "SUN MICROSYSTEMS- INC." "SUN MICROSYSTEM- INC." "SUN MICROSYSTEM- INC.").as. and data adj carrier	US-PGPUB; USPAT	OR	ON	2005/03/04 18:46
S6	0	("SUN MICOSYSTEMS INC" "SUN MICROSTAMPING- INC." "SUN MICROSYSTEMS" "SUN MICROSYSTEMS- INC." "SUN MICROSYSTEM- INC." "SUN MICROSYSTEM- INC." "SUN MICROSYTEMS- INC.").as. and data adj carrier and second adj memory adj location	US-PGPUB; USPAT	OR	ON	2005/03/04 17:44
S7	0	("SUN MICOSYSTEMS INC" "SUN MICROSTAMPING- INC." "SUN MICROSYSTEMS" "SUN MICROSYSTEMS- INC." "SUN MICROSYSTEM- INC." "SUN MICROSYSTEM- INC." "SUN MICROSYTEMS- INC.").as. and data adj carrier and access adj control adj logic	US-PGPUB; USPAT	OR	ON	2005/03/04 17:45
S8	93	key adj key adj encryption	US-PGPUB; USPAT	OR	ON	2005/03/04 18:49
S9	1	"6345299".pn.	US-PGPUB; USPAT	OR	ON	2005/03/04 18:25
S10	2	("5590197" "5359182").pn.	US-PGPUB; USPAT	OR	ON	2005/03/08 17:53
S11	1	"0021456".pn.	US-PGPUB; USPAT	OR	ON	2005/03/04 18:31
S12	0	"0021456".pn.	EPO; JPO; DERWENT	OR	ON	2005/03/04 18:31

S13	5480	("SUN MICOSYSTEMS INC" "SUN MICROSTAMPING- INC." "SUN MICROSYSTEMS" "SUN MICROSYSTEMS- INC." "SUN MICROSYSTEM- INC." "SUN MICROSYSTEM- INC.").as.	US-PGPUB; USPAT	OR	ON	2005/03/04 18:46
S14	0	S8 and S13	US-PGPUB; USPAT	OR	ON	2005/03/04 18:46
S16	0	S8 and S13	US-PGPUB; USPAT	OR	ON	2005/03/04 18:48
S17	4	S8 and king.in.	US-PGPUB; USPAT	OR	ON	2005/03/07 10:43
S18	117	write adj fail\$4 with read and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/07 10:43
S19	2	flash adj memory with read with write with fail and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/07 12:08
S20	5	(flash adj memory PROM EPROM EEPROM smart adj card) with read with write with fail and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/07 12:09
S21	21	(flash adj memory PROM EPROM EEPROM smart adj card) with read with write with fail\$4 and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/08 13:03
S22	1243	(711/103).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 12:37
S23	837	S22 and read with write	US-PGPUB; USPAT	OR	ON	2005/03/07 12:37
S26	56	S22 and write near2 fail\$4	US-PGPUB; USPAT	OR	ON	2005/03/07 12:38
S27	5	S22 and write near2 fail\$4 with read	US-PGPUB; USPAT	OR	ON	2005/03/07 12:39
S28	12	S22 and write near2 fail\$4 same read	US-PGPUB; USPAT	OR	ON	2005/03/07 12:39
S29	964	(713/193).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 13:46
S30	346	S29 and (PROM EPROM EEPROM smart adj card)	US-PGPUB; USPAT	OR	ON	2005/03/07 13:47
S31	50	S29 and (PROM EPROM EEPROM smart adj card) with write	US-PGPUB; USPAT	OR	ON	2005/03/07 13:47
S32	29	S29 and (PROM EPROM EEPROM smart adj card) with write and @ad<"20000901"	US-PGPUB; USPAT	OŘ	ON	2005/03/07 13:47

S33	0	S29 and (PROM EPROM EEPROM smart adj card) with write near2 fail\$4 and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/07 13:48
534	4	S29 and write near2 fail\$4 and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/07 14:02
S35	80	S29 and smart adj card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/07 14:02
S36	72	S29 and smart adj card and @ad<"20000901" and protect\$4	US-PGPUB; USPAT	OR	ON	2005/03/07 14:25
S37	2	S29 and smart adj card and @ad<"20000901" and protect\$4 and write with fail\$4	US-PGPUB; USPAT	OR	ON	2005/03/07 14:10
S38	26	S29 and smart adj card and @ad<"20000901" and protect\$4 and read with write	US-PGPUB; USPAT	OR	ON	2005/03/07 14:29
S39	13	S29 and smart adj card and @ad<"20000901" and protect\$4 and read with write and fail\$4	US-PGPUB; USPAT	OR	ON	2005/03/07 14:37
540	175	(fail\$4 near2 write) adj10 read	US-PGPUB; USPAT	OR	ON	2005/03/07 14:37
S41	87	(fail\$4 near2 write) adj10 read and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/07 14:37
S42	966	(713/193).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/08 13:03
S43	579	S42 and protection	US-PGPUB; USPAT	OR	ON	2005/03/08 13:03
S44	255	S42 and protection with (smart adj card disc disk device hardware)	US-PGPUB; USPAT	OR	ON	2005/03/08 13:03
S45	99	S42 and protection with (smart adj card disc disk device hardware) and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/08 13:04
S46	15	S42 and protection with (smart adj card disc disk device hardware) and @ad<"20000901" and prevent\$4 with write	US-PGPUB; USPAT	OR	ON	2005/03/08 13:04
S47	22	S42 and protection with (smart adj card disc disk device hardware) and @ad<"20000901" and prevent\$4 with writ\$4	US-PGPUB; USPAT	OR	ON	2005/03/08 13:04
S48	1335	write adj protection	US-PGPUB; USPAT	OR	ON	2005/03/08 13:05
S49	78	write adj protection adj5 read	US-PGPUB; USPAT	OR	ON	2005/03/08 13:05
S50	58	write adj protection and smart adj card	US-PGPUB; USPAT	OR	ON	2005/03/08 13:05
S51	37	write adj protection and smart adj card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/08 13:17

S52	14	write adj protection and smart adj card and @ad<"20000901" and write adj10 read	US-PGPUB; USPAT	OR	ON	2005/03/08 13:52
S53	24	(smart adj card IC) and atr same read and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/08 13:53
S54	12	(smart adj card IC) and atr with read and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/08 14:25
S55	1741	(711/154).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/08 14:25
S56	95	S55 and (smart adj card portable memory adj card) and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/08 14:32
S57	42	S55 and fail\$4 with writ\$4 and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/08 14:32
S58	92	write adj protect\$4 adj2 read and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/08 15:34
S59	50	write adj protect\$4 adj3 read and @ad<"20000901" and (removable removeable portable (memory smart IC) adj card)	US-PGPUB; USPAT	OR	ON	2005/03/09 13:32
S60	21	read near2 (network near2 address) and @ad<"20000901" and (removable removeable portable (memory smart IC) adj card)	US-PGPUB; USPAT	OR	ON	2005/03/08 17:02
S61	38	read near2 (MAC near2 address) and @ad<"20000901" and (removable removeable portable (memory smart IC) adj card)	US-PGPUB; USPAT	OR	ON	2005/03/08 17:02
S62	37	read near2 (MAC adj address) and @ad<"20000901" and (removable removeable portable (memory smart IC) adj card)	US-PGPUB; USPAT	OR	ON	2005/03/08 17:03
S63	0	read near2 (MAC adj address) with (removable removeable portable (memory smart IC) adj card) and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/08 17:03
S64	0	read near2 (MAC adj address) same (removable removeable portable (memory smart IC) adj card) and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/08 17:03
S65	1	read near2 (MAC adj address) same card and (removable removeable portable (memory smart IC) adj card) and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/08 17:03
S66	3	"9857474".pn.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 17:48

S67	3	("5497411" "5890197" "5359182"). pn.	US-PGPUB; USPAT	OR	ON	2005/03/08 18:06
S68	1	"5497411".pn.	US-PGPUB; USPAT	OR	ON	2005/03/08 18:06
S69	1	"5854719".pn.	US-PGPUB; USPAT	OR	ON	2005/03/09 14:08
S70	15527	write adj2 read NOT write adj1 read	US-PGPUB; USPAT	OR	ON	2005/03/09 14:08
S71	177	write adj2 read NOT write adj1 read and authentica\$5 and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/09 14:08
S72	7	write adj2 read NOT write adj1 read and authentica\$5 and write near protect\$4 and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/09 14:09
S73	20777	read adj only and (removable removeable portable (memory smart IC) adj card) and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/09 14:27
S74	5996	read adj only and (memory smart) adj card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/09 14:27
S75	692	read adj only and (memory smart) adj card and @ad<"20000901" and write adj2 read	US-PGPUB; USPAT	OR	ON	2005/03/09 14:27
S76	152	read adj only same (memory smart) adj card and @ad<"20000901" and write adj2 read	US-PGPUB; USPAT	OR	ON	2005/03/09 14:27
S77	21	read adj only same (memory smart) adj card same write adj2 read and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/09 14:29
S79	59	read adj only same (memory smart) adj card and @ad<"20000901" NOT read adj only adj memory	US-PGPUB; USPAT	OR	ON	2005/03/09 14:29
S80	1	"5675947".pn.	US-PGPUB; USPAT	OR	ON	2005/03/09 16:21
S81	446	attempt\$4 adj writ\$4 and (write adj protect\$4 read adj only) NOT read adj only adj memory and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/09 16:22
S82	305	attempt adj write and (write adj protect\$4 read adj only) NOT read adj only adj memory and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/09 16:22
S83	13	attempt\$4 adj writ\$4 and (write adj protect\$4 read adj only) NOT read adj only adj memory and @ad<"20000901" and authentica\$5	US-PGPUB; USPAT	OR	ON	2005/03/09 17:07
S84	2476	(713/1-2).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/09 17:08

S85	920	S84 and read same write	US-PGPUB; USPAT	OR	ON	2005/03/09 17:08
S86	820	S84 and read with write	US-PGPUB; USPAT	OR	ON	2005/03/09 17:08
S87	35	S84 and read with write and boot adj (disc disk)	US-PGPUB; USPAT	OR	ON	2005/03/09 18:25
S88	16	S84 and writ\$4 near fail\$4	US-PGPUB; USPAT	OR	ON	2005/03/09 17:09
S89	193	fdisk	US-PGPUB; USPAT	OR	ON	2005/03/09 17:40
S90	244	attempt\$4 with writ\$4 with fail\$4 with read\$4	US-PGPUB; USPAT	OR	ON	2005/03/09 18:25
S91	145	attempt\$4 with writ\$4 with fail\$4 with read\$4 and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/09 18:25
S92	1	pettey-christopher.in.	US-PGPUB; USPAT	OR	ON	2005/03/10 11:13
S93	62	pettey.in.	US-PGPUB; USPAT	OR	ON	2005/03/10 11:13
S94	30	pettey.in. and (portable removable removeable card IC smart)	US-PGPUB; USPAT	OR	ON	2005/03/10 11:14
S95	30	pettey.in. and (portable removable removeable card)	US-PGPUB; USPAT	OR	ON	2005/03/10 11:14
S96	1	pettey.in. and (portable removable removeable)	US-PGPUB; USPAT	OR	ON	2005/03/10 11:14
S97	6	confirm near overwrite and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 12:33
S98	149	write near fail\$4 and card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 12:34
S99	19	write near fail\$4 same card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 12:41
S10 0	2	unwritable same card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 12:42
S10 1	1	unwriteable same card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 12:43
S10 2	2812	attempt\$4 near2 write and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 12:43
S10 3	52	attempt\$4 near2 write same card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 12:43
S10 4	355	arp same mac same ip and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:04
S10 5	246	arp with mac with ip and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:09
S10 6	19	arp .ti.	US-PGPUB; USPAT	OR	ON	2005/03/10 14:36

S10 7	159	cellular adj telephone same microcontroller and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:36
S10 8	91	cellular adj telephone with microcontroller and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:37
S10 9	19	cellular adj telephone with microcontroller same card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:37
S11 0	13	rack adj mountable adj computer adj server	US-PGPUB; USPAT	OR	ON	2005/03/10 15:53
S11	20	rack adj mountable adj server	US-PGPUB; USPAT	OR	ON	2005/03/10 16:03
S11 2	137	rack adj mounted adj server	US-PGPUB; USPAT	OR	ON	2005/03/10 16:03
S11 3	71	rack adj mounted adj server and card	US-PGPUB; USPAT	OR	ON	2005/03/10 16:03
S11 4	2	rack adj mounted adj server with card	US-PGPUB; USPAT	OR	ON	2005/03/10 16:03
S11 5	14	rack adj mounted adj server same card	US-PGPUB; USPAT	OR	ON	2005/03/10 16:03
S11 6	2	rack adj mounted adj server and (memory IC smart) adj card	US-PGPUB; USPAT	OR	ON	2005/03/10 16:04
S11 7	11	diffie adj hellman same encryption same card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 17:25
S12 0	3	"diffie".in. and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 18:10
S12 1	2	"diffie hellman".ti. and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/10 18:16
S12 2	1	"4200770".pn.	US-PGPUB; USPAT	OR	ON	2005/03/10 18:16
S12 3	879	encryp\$6 with card with key and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/11 10:23
S12 4	379	encryp\$6 with (smart memory IC) adj card with key and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/11 10:23
S12 5	282	encryp\$6 with (smart memory) adj card with key and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/11 10:23
S12 6	240	encryp\$6 with smart adj card with key and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/11 10:24
S12 7	24	encryp\$6 with smart adj card with key with reader and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/11 10:26
S12 8	7	key adj exchange with smart adj card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/11 10:36

S12 9	1	"4,424,414".pn.	US-PGPUB; USPAT	OR	ON	2005/03/11 10:36
S13 0	7	rack near server and smart adj card	US-PGPUB; USPAT	OR	ON	2005/03/11 12:57
S13 1	0	rack near server and smart adj card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/11 12:57
S13 2	0	rack near2 server and smart adj card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/11 12:57
S13 3	6	rack with server and smart adj card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/11 12:58
S13 4	21	rack with server and memory adj card and @ad<"20000901"	US-PGPUB; USPAT	OR	ON	2005/03/11 13:00
S13 5	1	"5,460,441".pn.	US-PGPUB; USPAT	OR	ON	2005/03/11 13:00
S13 6	1	"6345299".pn.	US-PGPUB; USPAT	OR	ON	2005/03/11 14:18